



EXDENSUR (depemokimab-ulaa) injection 100 mg

ULTRA- LONG-ACTING EXDENSUR

**The first and only ultra-long-acting
asthma biologic that's just
2 doses a year***

*1 dose every 6 months.

APPROVED USE

EXDENSUR is an add-on, prescription maintenance treatment for patients 12 years and older with severe asthma, eosinophilic type. EXDENSUR is not used to treat sudden breathing problems.

Important Safety Information

EXDENSUR can cause serious side effects, including:

- **allergic (hypersensitivity) reactions, including anaphylaxis.** Serious allergic reactions can happen after you get your EXDENSUR injection. Contact your healthcare provider or get emergency help right away if you have any of the following symptoms of an allergic reaction:
 - swelling of your face, mouth, and tongue
 - breathing problems
 - fainting, dizziness, feeling lightheaded (low blood pressure)
 - rash
 - hives

Please see additional Important Safety Information throughout.

**Please see full Prescribing Information, including Patient Information,
for EXDENSUR at EXDENSUR.com.**



DOING EVERYTHING RIGHT BUT STILL DEALING WITH ASTHMA ATTACKS?



Your current asthma treatments may not address the airway inflammation that could be causing your symptoms.

No matter how hard you work to prevent attacks, if you're not targeting a root cause of inflammation, the cycle of inevitable triggers and attacks may continue.



DID YOU KNOW?



Experiencing asthma attacks requiring steroid treatment or hospitalization **more than twice a year is a sign of uncontrolled asthma.**



More than 50% of patients with severe asthma were uncontrolled even while taking their regular maintenance treatments.



If repeated asthma attacks **are left unaddressed, it can make your asthma worse.**

Important Safety Information (cont'd)

Before using EXDENSUR, tell your healthcare provider about all of your medical conditions, including if you:

- are taking systemic or inhaled corticosteroid medicines. **Do not** change or stop taking your corticosteroid medicines unless instructed by your healthcare provider because this may cause other symptoms to come back.

Please see additional Important Safety Information throughout.

Please see full Prescribing Information, including Patient Information, for EXDENSUR at EXDENSUR.com.

WITH ASTHMA, THINK DIFFERENTLY



If you answer **YES** to one or more of the following questions, **you may have uncontrolled asthma.**



In the last year, have you had 2 or more asthma attacks requiring oral steroids?

YES

Is your asthma disrupting your sleep more than twice a month?

YES

Have you used your rescue inhaler more than twice a week?

YES

Have you visited an emergency room or been hospitalized because of your asthma at least once in the past year?

YES

Important Safety Information (cont'd)

- have a parasitic (helminth) infection.

Please see additional Important Safety Information throughout.
Please see full Prescribing Information, including Patient Information, for EXDENSUR at EXDENSUR.com.

THE FIRST AND ONLY TWICE-YEARLY ASTHMA BIOLOGIC



EXDENSUR is an add-on treatment that helps prevent asthma attacks with just 1 dose every 6 months.



THE MOST COMMON SIDE EFFECTS OF EXDENSUR INCLUDE:

Upper respiratory tract infection (common cold, sinus infection), sneezing, nasal congestion, runny nose and nasal itching (allergic rhinitis), flu or flu-like symptoms, joint pain, and sore throat (pharyngitis).

These are not all of the possible side effects of EXDENSUR. **Please see additional Important Safety Information throughout. Please see full Prescribing Information, including Patient Information, for EXDENSUR at EXDENSUR.com.**



Important Safety Information (cont'd)

- are pregnant or plan to become pregnant. Babies exposed to EXDENSUR before birth may have higher and longer-lasting levels of the medicine in their bodies. It is not known if EXDENSUR may harm your unborn baby. If you become pregnant while taking EXDENSUR, call 1-888-825-5249.

Please see additional Important Safety Information throughout.

Please see full Prescribing Information, including Patient Information, for EXDENSUR at EXDENSUR.com.

PARTNER WITH YOUR DOCTOR



When discussing your symptoms and treatment with your doctor, here are some topics to discuss before considering EXDENSUR:

What is EXDENSUR?

Would EXDENSUR be right for me?

Can I take EXDENSUR with my other medications?

How do I receive EXDENSUR?



Important Safety Information (cont'd)

- are breastfeeding or plan to breastfeed. You and your healthcare provider should decide if you will use EXDENSUR and breastfeed. You should not do both without talking with your healthcare provider first.

**Please see additional Important Safety Information throughout.
Please see full Prescribing Information, including Patient Information,
for EXDENSUR at EXDENSUR.com.**



EXDENSUR SUPPORT— WE'LL DO THIS TOGETHER



After you've been prescribed EXDENSUR, you won't have to handle everything alone. Enrolling in Together with EXDENSUR gives you access to a range of support services at every step along the way.

Once you enroll in Together with EXDENSUR, you can find the assistance you need, whether it's:

- Navigating insurance coverage*
- Exploring cost support options
- Learning more about EXDENSUR

At the core of the program is your dedicated Patient Navigator,[†] providing tailored support and resources. Visit TogetherwithEXDENSUR.com or call **1-844-Call-TwGSK (844-225-5894)** to learn more.



*The information provided by Together with EXDENSUR is not a guarantee of coverage or payment.

[†]The Patient Navigator does not provide medical advice and is not a part of your doctor's care team. Please ask your doctor any questions that you might have about your disease and treatment with EXDENSUR.

TogetherwithEXDENSUR.com

Important Safety Information (cont'd)

- are taking prescription and over-the-counter medicines, vitamins, and herbal supplements. Do not change or stop taking your other medicines unless instructed by your healthcare provider.

Please see additional Important Safety Information throughout.

Please see full Prescribing Information, including Patient Information, for EXDENSUR at EXDENSUR.com.

GETTING STARTED ON EXDENSUR



Find support from day one.
Once prescribed EXDENSUR,
partner with your doctor and
care team to verify coverage
and costs, and to answer any
questions about your treatment.



Your dose is given by a
healthcare professional
once every 6 months.
Location options may be
available for where EXDENSUR
is administered. Please refer to
your coverage for details.

EXDENSUR.com



Important Safety Information (cont'd)

The most common side effects of EXDENSUR include: upper respiratory tract infection (common cold, sinus infection), sneezing, nasal congestion, runny nose and nasal itching (allergic rhinitis), flu or flu-like symptoms, joint pain, and sore throat (pharyngitis).


Please see additional Important Safety Information throughout.
Please see full Prescribing Information, including Patient Information,
for EXDENSUR at EXDENSUR.com.

DISCOVER EXDENSUR SAVINGS

\$0
PAY AS
LITTLE AS **FOR
EXDENSUR**

**Eligible, commercially insured patients
may pay as little as \$0* for EXDENSUR**

*Program annual maximums apply. Visit TogetherwithExdensur.com for information about eligibility and full program terms and conditions.



You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088. You may also report negative side effects to GSK at gsk.public.reportum.com or 1-888-825-5249.

**Please see additional Important Safety Information throughout.
Please see full Prescribing Information, including Patient Information,
for EXDENSUR at EXDENSUR.com.**

 **EXDENSUR**
(depemokimab-ulaa)

 **GSK**

Trademarks are owned by or licensed to the GSK group of companies. ©2025 GSK or licensor. PMUS-DEPEBROC250001 December 2025
Produced in USA.